50 feet or RG-58U Coax with PL-259s installed.
Applications and Usages:
For use in the interconnection of Two-way Radio Communication
Building a Choke Balun
Max Ratings at 105 degrees F:
1-54 MHz
150 watts
Ideal for portable operations with your FMJ, Alpha Loop, ProMaster, or other systems.

Support Resources

- User Manuals: Alpha Antenna User Manuals hub.
- Videos: Related videos.
- Guidance / FAQs: Available HERE.
- Customer Reviews: Scroll to bottom of this page.

We Listen

We are dedicated to improving all of our systems. Specifications and descriptions are subject to change without notice.

4.9
★ ★ ★ ★ ★
★ ★ ★ ★ ★
Based on 26 reviews
5★
92
92%
4★
8
8%
3★
0%
2★
0%

1★
0%
Search
1-5 of 26 reviews
Most Recent

1. RS

Protected_User_3c87e450
Verified owner
September 4, 2026

50 feet of RG-58/U Coax w/PL-259s

Verified review - view original

Quality item and shipped quickly, Thanks!

2. RG

Protected_User_4872f255
Verified owner
July 12, 2026

50 feet of RG-58/U Coax w/PL-259s

Verified review - view original

3. PD

Protected_User_5208fa2b
Verified owner
July 1, 2026

★★★★★
★★★★★

50 feet of RG-58/U Coax w/PL-259s

Verified review - view original

4. A

Protected_User_5daf5d65
Verified owner
June 28, 2026

★★★★★
★★★★★

50 feet of RG-58/U Coax w/PL-259s

Verified review - view original

5. KN

Protected_User_df454815
Verified owner
June 17, 2026

★★★★★
★★★★★

50 feet of RG-58/U Coax w/PL-259s

50 feet of RG-58/U Coax w/PL-259s

Verified review - view original

Show more reviews (21)