Delta Loop: *Provides touch free matching from 6 through 80 meters and a power rating of 250W PEP SSB, 125W CW, and 25W Digital, which is most effective from 10.1 to 54.0 MHz (30-6M), while also providing short range Near-Vertical Incidence Skywave (NVIS) propagation on 3.5 to 7.0 MHz (80 – 40M).*

*Simply add the **MIL 2.0 Match** and **Delta Loop Adapter** from the 'Options' on this page to your cart to setup the HexTenna you already own as a Delta Loop.*

* An external antenna tuner should be used if the antenna system is deployed over a poor ground or not placed in a clear area.

Included

1 – 31 ft. 2 in. 20 AWG Low Memory Silicone Rubber insulation over Stranded Tinned Copper Wire with Stainless Steel Clips

Support Resources

- User Manuals: Alpha Antenna User Manuals hub.
- Videos: Related videos.
- Guidance / FAQs: Available HERE.
- Customer Reviews: Scroll to bottom of this page.

We Listen

We are dedicated to improving all of our systems. Specifications and descriptions are subject to change without notice.

5.0

★★★★★

★★★★★

Based on 18 reviews

5★

100

100%
4★
0%
3★
0%
2★
0%
1★
0%

Search
1-5 of 18 reviews
Most Recent

1. JD

   Protected_User_5a8b499b
   Verified owner
   Featured Review
   July 17, 2026

   Delta Loop Element

   Verified review - view original

   Perfect and convenient for making a Delta loop!

2. MH

   Protected_User_6082e30e
   Verified owner
   November 15, 2026

★★★★★
★★★★★
Delta Loop Element

Verified review - view original

3. PC

Protected_User_b846fbec
Verified owner
October 26, 2026
★★★★★
★★★★★
Delta Loop Element

Verified review - view original

Excellent

4. J

Protected_User_83185331
Verified owner
October 21, 2026
★★★★★
★★★★★
Delta Loop Element

Verified review - view original

Completes the loop.

5. G

Protected_User_56b74ecc
Verified owner
October 21, 2026

★★★★★
★★★★★

Delta Loop Element

Verified review - view original

This wire is so sturdy that the whips of the Delta loop keep bending while being extended to their full length.

Show more reviews (13)