

The RF Jumper can be used to convert a HexTenna into a Delta Loop when the Optional MIL 2.0 Alpha Match and Delta Loop Element are used.


Included

(1) RF Jumper

(1) 3/8 24 bolt

(1) 3/8 24 nut

Installation



Gain

5 dBd ($\approx$ 5.5 dBi) for the two-element Yagi and 7 dBd (7.5dBi) for the three-element Yagi

Specifications, prices, and descriptions are subject to change without notice.



Based on 5 reviews

5★

100

100%

4★

0%

3★

0%

2★

0%

1★

0%

Q ✕

Search

1-5 of 5 reviews

Most Recent ▼



Protected_User_7f91b4b0

Verified owner

August 21, 2026



[HexTenna Delta Loop Adapter](#)

✕ Verified review - [view original](#) ✕

Love these guys.

2.



Protected_User_eac9dc6e

Verified owner

July 29, 2026



[HexTenna Delta Loop Adapter](#)

 Verified review - [view original](#) 

easy to install

3.



Protected_User_27d80852

Verified owner

June 15, 2026



[HexTenna Delta Loop Adapter](#)

❌ Verified review - [view original](#) ❌

Excellent purchase!

DN

4.

Protected_User_ef4fde31

Verified owner

October 29, 2025



[HexTenna Delta Loop Adapter](#)

❌ Verified review - [view original](#) ❌

DW

5.

Protected_User_ea9b132d

Verified owner

April 28, 2025



[HexTenna Delta Loop Adapter](#)