

The SS34+ Bolt enables the [2-40M VHF HF, SS34+](#) to be deployed on our [Survivor Tripod Mount](#) using our [Survivor Tripod](#).

The 316 stainless steel SS34+ Bolt has 3/8 24 threads, a shaft that is 2.5 inches long, and a head that is .55 inches in diameter and .25 inches thick. The bolt also includes a 1.4 inch length of adhesive marine shrink tubing on the shaft just under the bolt, which enables the top of mast mount to securely hold everything in place.



We Listen

We are dedicated to improving all of our [Portable VHF UHF HF Systems](#). Specifications and descriptions are subject to change without notice.

5.0



Based on 3 reviews

5★

100

100%

4★

0%

3★

0%

2★

0%

1★

0%

Q ✕

Search

1-3 of 3 reviews

Most Recent ▼

1.



Protected_User_0db640e5

Verified owner

June 21, 2026



ALPHA®



[SS34+ Bolt](#)

✕ Verified review - [view original](#) ✕

Solid build.

2.



Protected_User_66f33571

Verified owner

February 1, 2026



ALPHA®



[SS34+ Bolt](#)

 Verified review - [view original](#) 



3.

Protected_User_b30876ae
Verified owner
November 5, 2025



ALPHA®



[SS34+ Bolt](#)

 Verified review - [view original](#) 