

Black X-Wing Backbone + 4 (Four) Screws

Use this **BLACK** X-Wing backbone adapter to replace the X-Wing backbone on your Alpha Loop antenna.

Included


- 1 (One) Black, X-Wing backbone adapter with 5/8-11" Female adapter

To install on post-2023 tuning boxes:

1. Remove the 4 screws that hold the current black X-Wing backbone in place.
2. Remove the threaded silver tripod from your current X-Wing adapter.
3. Install the same threaded silver tripod adapter into your new X-Wing adapter.
4. Use the 4 new screws that held the current backbone in place to install the X-Wing backbone.

To install on pre-2023 tuning boxes (shown in the image below):

1. Open the front cover of the grey tuning box.
2. Remove the 2 nuts that hold the current backbone in place.
3. Remove the current backbone.
4. Shake the two screws out of the box, which may require the capacitor mounting plate to be carefully loosened & lifted.
5. Use the 4 new screws to install the X-Wing backbone.



Reviews

5.0



Black X-Wing Backbone + 4 (Four) Screws



Based on 2 reviews

5★

100

100%

4★

0%

3★

0%

2★

0%

1★

0%

Q ✕

Search

1-2 of 2 reviews

Most Recent ▼

1.

PZ

Protected_User_1aa52514

Verified owner

March 18, 2026



[Black X-Wing Backbone + 4 \(Four\) Screws](#)

✕ Verified review - [view original](#) ✕

Black X-Wing Backbone + 4 (Four) Screws

NF

2.

Protected_User_f659a9f3

Verified owner

October 6, 2023



[Black X-Wing Backbone + 4 \(Four\) Screws](#)

 Verified review - [view original](#) 

I always had a problem with my older alpha mag loop antenna mounting it to a tripod. Never secured properly, loose fitting etc. I called Steve, explained my situation, he new about that problem, This was the fix. Outstanding!